

TECHNICAL SPECIFICATIONS:

SRU LUXURIOUS UNDERLAY

Wool Felt & Rubber Crumb Carpet Underlay

SRU Luxurious Underlay	
Construction	Felt & Rubber*
Density	80oz Sq. Yard*
Thickness	12mm*
Tog Rating	3.0 Tog*
Noise Reduction	48db*
Comfort Rating	Luxury*
Size	10m2 (1.37metres x 7.3metres)*



PRODUCT SPECIFICATIONS	
Top Surface	80/20 Wool/Synthetic Fibre blend approx.
Bottom Surface	Recycled Rubber Crumb
Recyclable (?)	No
Guarantee	Lifetime of Initial Carpet Installation (when used in recommended areas)
Recommendation	Luxury / Contract Areas Such as Living Rooms / Bedrooms
Installation Method	Lay Wool Felt Side Facing Upwards

TECHNICAL SPECIFICATIONS		
BS5808 Testing	Result	Method
Resistance to Cracking	<50mm	BS5808
Static Loading	8%	BS4939
Dynamic Loading	3mm	BS4098 & BS4052
Retention of Compression	>40%	BS4098

OTHER TECHNICAL SPECIFICATIONS		
Thermal Properties	3.0 TOG	BS4745
Sound Properties	48 dB	BS EN ISO 10140-3:2010 & BS EN ISO 354:2003

MANUFACTURER:

SRU Insulation

DISCLAIMER:

The data on this sheet is meant for information purposes only. The typical properties listed are the result of extensive research & laboratory tests, the materials used may vary and we cannot guarantee these results are obtained in practice. Users should conduct their own tests to determine the suitability of each material to its intended application.